

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	640	shield adj cup	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 12:21
L2	66	coating with 1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 12:22
L3	78	coating with thermally adj responsive	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 12:22
L4	0	2 and 3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 12:23
L5	38	nozzle with thermally adj responsive	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 12:24
L6	0	3 and 5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 12:24
L7	272850	thermally aadj responsive adj coating	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 12:24
L8	16	thermally adj responsive adj coating	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 12:55
L9	2	torch and 8	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 12:25
L10	2	torch and 3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 12:25
L11	10363	changes adj color	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 12:55

L12	1371	turns adj3 color	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 12:55
L13	11582	11 or 12	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 12:55
L14	565153	shield or nozzle	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 12:56
L15	1098	13 and 14	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 12:57
L16	82	indicate adj temperature with color	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 12:57
L17	51	indication adj temperature with color	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 12:57
L18	128	16 or 17	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 13:16
L19	29065	torch or Welding adj unit	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 12:58
L20	2	18 and 19	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 13:00
L21	8	indication adj2 temperature with (nozzle or shield)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 13:01
L22	18	indicate adj2 temperature with (nozzle or shield)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 13:01
L23	26	21 or 22	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 13:02

L24	0	torch and 23	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 13:02
L25	0	indicate adj3 temperature adj (nozzle or electrode or shield) adj5 color	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 13:17
L26	0	temperature adj (nozzle or electrode or shield) adj5 color	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 13:17
L27	7663	(nozzle or electrode or shield) adj4 color	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 13:18
L28	34722	coating with color	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 13:18
L29	727	27 and 28	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 13:18
L30	154067	"219"/\$7.ccls. or "228"/\$7.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 13:18
L31	2	29 and 30	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 13:20
L32	0	shield adj cup adj temperature	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 13:20
L33	1754	nozzle adj temperature	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 13:20
L34	3	indicate with 33	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 13:49
L35	0	indication with 33	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 13:20

L36	0	color adj3 33	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 13:23
L37	45	thermally adj4 responsive adj2 (layer or coating)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 13:24
L38	2	30 and 37	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 13:31
L39	0	indicate adj temperature adj3 torch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 13:32
L40	0	indicate with temperature adj3 torch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 13:32
L41	407	temperature adj3 torch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 13:32
L42	143	nozzle and 41	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 13:45
L43	18	sense adj3 temperature adj3 nozzle	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 13:46
L44	0	42 and 43	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 13:46
L45	0	41 and 43	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 13:46
L46	24	indicate adj2 temperature with (nozzle or electrode)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 13:49